



COLLEGE of AMERICAN
PATHOLOGISTS

CAP#: 1727204
AU-ID: 1183154
October 31, 2018

Robert D. Danforth, Jr., MD
Ascension St. John Hospital at 12 Mile
Laboratory
21000 E 12 Mile Rd
Saint Clair Shores, Michigan 48081-1116

Dear Dr. Danforth:

The College of American Pathologists (CAP) is pleased to advise you that the medical laboratory you direct, Ascension St. John Hospital at 12 Mile Laboratory, in Saint Clair Shores, Michigan, has successfully met the Laboratory Accreditation Program Standards for Accreditation in the area(s) listed on the attached sheet. **Please retain this letter and list of accredited services in your records, as this is your official notification of accreditation.**

Your Certificate of Accreditation is enclosed. Accreditation is valid for two-years and is maintained through continuous compliance with the Terms of Accreditation contained in the attached document.


The Accreditation Committee congratulates you on the accreditation of the laboratory under your direction and the excellence of the services you are providing. Please remember CAP accreditation is not a substitute for continuous in-depth monitoring by the laboratory and its personnel to maintain a safe and properly functioning laboratory. We look forward to working with you in the future and commend your achievement of the "gold standard" of laboratory accreditation.

Sincerely,

Michael B. Datto, MD, PhD, Accreditation Committee Chair

cc: Walter H. Henricks, MD, Chair, Commission on Laboratory Accreditation

325 Waukegan Rd.
Northfield, IL 60093
cap.org



The College of American Pathologists certifies that the laboratory named below

**Ascension St. John Hospital at 12 Mile Laboratory
Saint Clair Shores, Michigan
Robert D. Danforth, Jr., MD**

CAP Number: 1727204
AU-ID: 1183154
CLIA Number: 23D0884384

has met all applicable standards for accreditation and is hereby accredited by the College of American Pathologists' Laboratory Accreditation Program. Reinspection should occur prior to September 12, 2020 to maintain accreditation.

Accreditation does not automatically survive a change in director, ownership, or location and assumes that all interim requirements are met.

Chair, Accreditation Committee

President, College of American Pathologists

